

PASSAGE[™]

ARCH. SERIES

IN-WALL STEREO/HOME THEATER FRONT/CENTER/SURROUND

VERSATILE, HIGH-PERFORMANCE IN-WALL

Just slightly more than half the size of the Voyage, this elegant, affordable in-wall offers amazing quality and versatility. Advanced Thin Film driver technology, sophisticated woofer engineering, and no-compromise crossover design combine to produce wonderfully detailed and involving sound. A rigid aluminum chassis and die-cast mounting locks enhance performance and ease installation, while an adjustable tweeter-alignment sphere, paintable end caps, and a selection of grille colors provide incredible adaptability.

Frequency Response 45–20,000 Hz ± 3dB Sensitivity 90 dB/2.83 volts/meter

Impedance 6 Ohms. Compatible with 4, 6, or 8 Ohm

rated amplifiers.

Crossover Frequency 2200 Hz

High Frequency Driver Aimable 1.5" \times 2.25" (3.8 \times 5.7 cm) ATF

Mid/Low Frequency Drivers Two 6.5" (16.5 cm) aluminum cone

Recommended Amplifier Power 20–300 watts

Weight 16 lbs. (7.3 cm)

Dimensions (HxWxD) 24.5" x 8.9" x 4.9" (62.2 x 22.7 x 12.5 cm)

Projection From Wall Surface 1.75" (4.4 kg)

Required Wall Opening 22.9375" x 7.5" (58.3 x 19.1 cm)



The Great American Speaker Company www.martinlogan.com

Application:

Home theater front/center/surround and stereo in-wall loudspeaker for medium rooms.

Incorporating many of our most advanced technologies, Passage produces clean, powerful bass, scintillating detail, and pinpoint imaging within a richly ambient sound field

Key Features:

- Tweeter aims at listening position
- High-resolution ATF™ tweeter
- Dual 6.5-inch low-distortion aluminum cone woofers
- Precision VoitkoTM crossover
- Rigid aluminum chassis
- Quick, no-hassle installation
- Paintable end caps
- Fully paintable option

FINISH OPTIONS













 $For \ detailed \ amplifier \ recommendations \ and \ complete \ specifications \ visit \ www. Martin Logan.com.$